

Design by Helena Chmelíková

PRECIOSA Rocailles

331 39 001; 8/0 311 19 001; 8/0



Preciosa Ornela introduces seed beads from the PRECIOSA Traditional Czech Beads $^{\text{TM}}$ brand.

Preciosa-Ornela.com



Beetle

Try our fun and simple tutorial for a handmade gift- a cute beetle made from PRECIOSA Terra Intensive seed beads which every child will love. It is ideal as a small gift for International Children's Day.

Materials and tools:

The heetle

PRECIOSA Rocailles (R) 331 39 001; 8/0; 16A19 brown; 49x

331 39 001; 8/0; 16A86 yellow; 51x

PRECIOSA Rocailles (R) 331 19 001; 8/0; 08A19 brown lining; 68x

PRECIOSA Rocailles (R) 311 19 001; 8/0; 23980 black; 2x

Caramel

PRECIOSA Rocailles (R) 331 39 001; 8/0; 16A18 caramel; 57x

331 39 001; 8/0; 16A91 orange; 43x

PRECIOSA Rocailles (R) 331 19 001; 8/0; o8A18 caramel lining; 68x

PRECIOSA Rocailles (R) 311 19 001; 8/0; 23980 black; 2x

Stripe

PRECIOSA Rocailles (R) 331 39 001; 8/0; 16A38 blue; 54x






331 39 001; 8/0; 16A54 light green; 46x

PRECIOSA Rocailles (R) 331 19 001; 8/0; o8A38 blue lining; 68x

PRECIOSA Rocailles (R) 311 19 001; 8/0; 23980 black; 2x





Difficulty:

Technique: the peyote stitch

Procedure:

Step 1 The line.

Cut off about 1 m of line. If the line twists, gently run the needle down it or pull on it. String the R directly on the line.



Step 2 The beginning.


String the 3x R belonging to the upper surface of the beetle and the 4x R from the lower surface of the beetle. Move them to the centre of the line. Pass the end of the line through the 4x **R** from the lower surface one more time. This will form a ring.





Step 3 The body.

When creating the beetle, alternately string the R from the upper surface (the example) and the R from the lower surface. First create the initial curvature of the body by adding to the number of R in the rows. Thereafter, the number of R will remain the same in several rows. Start reducing the number of **R** for the end curvature. String the appropriate number of **R** in the row on one end of the line. Thread the second end of the line through this number from the opposite side.










Gradually connect the 3rd to 7th rows to the lower side. Connect the central 2x R in the newly strung row with the central 2x R from the previous row. First string the necessary number of R on one end of the line. When stringing the second end of the line, connect the central 2x R from the previous row.

Connecting the rows







Step 4 The legs.

The beetle has 3 pairs. Sew the legs with the body between the 3rd and 4th rows, the 5th and 6th rows and the 7th and 8th rows. After completing stringing the rows in the lower surface, string 3x R. Leave out the outer strung **R**. Pass the line back through the remaining 2x R. Continue stringing the rows from the upper surface.
















Step 5 Finishing.

String both ends of the line into the last row from the upper surface. Pass the line through the last row of the lower surface one more time. Specificly, pass one end of the line through 2x R and the second end of the line through the second 2x R. Tie off both ends of the line with two knots. Pull the ends of the line into several surrounding R (for example, in the penultimate row of the upper surface). Cut off the line.









Step 6

Tie a knot in the middle of the ribbon. Thread the ends of the ribbon through the initial ring of R, the beetle's cavity and the end ring made of R. Tie a knot behind the neck. You can also adjust the length of the ribbon at the same time.













CARAMEL

The top surface The lower surface					
000	row 1 - 3x R row 2 - 7x R	1	row 1 - 4x R row 2 - 7x R	0000	Connecting the rows
000	row 3 - 10x R	legs legs	row 3 - 8x R	eee 0000 1000 000 eee 0000 1000 000	
	row 4 - 11x R row 5 - 11x R		row 4 - 10x R row 5 - 10x R		16A18 08A18 16A91 23980
	row 6 - 11x R row 7 - 11x R		row 6 - 10x R row 7 - 8x R		
000000000000000000000000000000000000000	row 8 - 10x R	legs	row 8 - 7x R	00000000	₩ 23300
0000000	row 9 - 7x R	1	row 9 - 4x R	0000	

STRIPE

